


■BX-V010-110V



■ Characteristics

1. Over / under voltage: when the voltage exceeds the limit value, the power supply will be cut off automatically to prevent the damage to the electrical appliances caused by the voltage too high or too low.
2. Adjustable over / under voltage protection value: users can adjust the protection value according to the actual use environment and situation of the product.
3. Adjustable time delay: users can adjust the delay protection value according to the actual use environment and situation of the product.
4. Visualization window: real time display of the current working state of the product, eye-catching and clear.
5. Flame retardant shell: in accordance with ul94-5va level test standard.

■ Introduction

BXST

This product is a hot selling series voltage protector in South American market. It is suitable for air conditioning, water heater and other high-power equipment with rated power less than 2400W.

■ specifications

- working voltage/ frequency: 120VAC/50HZ-60HZ
- Under voltage protection: 105-90VAC (Adjustable)
- Over voltage protection: 140VAC
- Maximum working current: 20A (13106BTU)
- Maximum power: 2400W
- Delay Time: 3min
- work environment: -5°C~+55°C
- weight: 150g
- Product size: 80*35*120mm
- Shell material: PC
- Outer box size: 52*47*37cm (50pcs/carton)

■ Warning

- ✘ The total power of the connected electrical equipment shall not exceed the rated power.
- ✘ This product cannot be used in a humid, non-ventilated environment.
- ✘ Non-professionals are not allowed to open, modify, repair or maintain this product.
- ✘ Poor contact at the front end or poor contact at the insert may cause danger.
- ✘ It is forbidden to burn or keep away from fire.